

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6641952".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:23
L2	2	"6635383".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:23
L3	4	1 or 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:35
L4	2	"6464846".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:46
L5	744576	(battery or "electrochemical cell")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:47
L6	114031	5 and ((battery or "electrochemical cell") same (coil or coiled or spring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:47
L7	48362	6 and (terminal same (coil or coiled or spring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:47
L8	1206	7 and (coiled adj3 spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:47
L9	678	8 and ((coiled adj spring) same contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:04

L10	23	9 and ("contact resistance")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:56
L11	15640	6 and ((positive and negative) same contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:57
L12	15640	11 and ((positive and negative) adj5contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:57
L13	1600	11 and ((positive and negative) adj5 contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:57
L14	731	13 and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 18:57
L15	215	14 and (resistance same (eliminate or minimize or minimizing or reduce or reducing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:08
L16	13082	6 and (resistance same (eliminate or minimize or minimizing or reduce or reducing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:01
L17	1017	16 and compartment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:01
L18	173	17 and insulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:01
L19	89	16 and ((coiled adj spring) same contact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:04

L20	7815	7 and (resistance same (eliminate or minimize or minimizing or reduce or reducing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:08
L21	51	20 and (scrape or scraping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:10
L22	0	20 and "contact resistance"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:10
L23	404	20 and "contact resistance"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:11
L24	404	23 and (spring or coil or coiled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 19:11